Rodenticides, Regulations, & Labels

SANTA BARBARA COUNTY AGRICULTURAL COMMISSIONER'S OFFICE

Rodenticide Types

FIRST GENERATION ANTICOAGULANTS SECOND GENERATION ANTICOAGULANTS ZINC PHOSPHIDE STRYCHNINE ALUMINUM PHOSPHIDE ASPHYXIATION (SMOKE CARTRIDGES) NON-ANTICOAGULANT RODENTICIDES (*CHOLECALCIFEROL*) DEVICES CARBON MONOXIDE

Rodenticides by Regulation

NON-PESTICIDE DEVICES NON-RESTRICTED PESTICIDES FEDERALLY RESTRICTED PESTICIDES STATE RESTRICTED PESTICIDES

Anticoagulant Use in California

DPR reviewed 492 wildlife deaths 1995-2011 73% had residues of at least one 2nd generation. SGARs have longest half life & bioaccumulation can occur because of multiple feedings prior to death.

In 2014 SGARs became state restricted. However, 1st generation rodenticide poisonings increased the following year.

Non Restricted Pesticides

Homeowner formulations of 1st & 2nd generation anticoagulants – pre-pkged

Homeowner formulations of strychnine-small packages

Smoke cartridges

Non-pesticide devices

Federally Restricted Rodenticides

RESTRICTED USE PESTICIDE
Due to Hazards to Non-target Species
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

PRIVATE APPLICA	TOR CERTIFICATE
	(MC

FEDERALLY RESTRICTED – CERTIFIED APPLICATOR

First generation rodenticides typically takes multiple feedings (DIPHACINONE/CHLOROPHACINONE) Legal and labeled for use on ag/rangeland

CA State Restricted Rodenticides

STATE RESTRICTED – CERTIFIED APPLICATOR & RM PERMIT FROM CAC

- 2ND GEN ANTI-COAGULANTS NO LONGER LABELED OR LEGAL TO USE TO PROTECT AG/RANGELAND OR CROPS.
- ZINC PHOSPHIDE
- ALUMINUM PHOSPHIDE
- STRYCHNINE



The Restricted Materials Permit and the label are the Law

FAC §12973 The use of any pesticide shall not conflict with labeling registered pursuant to this chapter which is delivered with the pesticide or with any additional limitations applicable to the conditions of any permit issued by the director or commissioner.

Restricted Materials Permit Conditions

NOTICE OF INTENT REQUIRED 24 HRS PRIOR TO APPLICATION

	And Parents -			Pros and haged in an	
		Sold Surface in Recolumn 1 Contracts		Resource Data Processory Transfer Transferrence	
The second secon		Parent Mater (seal)		then transforms in	
Address of the second s			the Name Anno		
member member member member member member member member member					
Appendix		The second s		W Experience mater COTHINGS	
The data based on the data bas					
Beneric and the second se					
The days and which is 1 bandler days are benefits to have a set of the days and the days are benefits to have a set of the days are ben		Will must be advertised at load 24 hour	a prior to a planned application		
General Control March Mar		1 de legites rolfinite le Labore	for" House Him Brasilies		
The factor and the fa		Paraditas: Specalus Cathoot Salar			
Kelling Adama, 6 1: No kell Physical Adama, 6 1: No kell Milling Adama, 6 1: No kell Physical Adama, 6 1: No kell Milling Adama, 6 1: No kell Physical Adama, 6 1: No kell Milling Adama, 6 1: No kell Physical Adama, 6 1: No kell Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling Milling					
Handing dalahan di ter takan di territori dalahan dela dela dalahan dela dalahan dela dalahan dela dalahan dela dela dalahan dela dela dalahan dela dela dela dela dela dela dela dela					
ee, baa baara Baara aya baara Baara aya baara Baara aya baara Anana baara Anana baara Anana baara Anana baara Anana baara Anana baara Anana baara			c.142		
Barry Apple 2003					
Proteiner (Neurona (N					
All market from an and a set of the set of t					
La New William Care			9-MU		
For Name				Web then (B), which there is	
En han a land					
		Fast Mandaer			
			Star Name	Cario	

Label Interpretations

"Conflict with labeling" means any deviation from instructions, requirements or prohibitions of pesticide product labeling concerning storage, handling or use."

Example:

"*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, Whitethroated woodrat, Southern plains woodrat, and Mexican woodrat."

Label Interpretations

MANDATORY AND ADVISORY STATEMENTS

Mandatory statements generally relate to the actions that are necessary to ensure the proper use of the pesticide and to prevent the occurrence of unreasonable adverse effects on the environment, which is defined by statute.

Advisory statements provide information to the product user . [THE COMPLETE LABEL FOR THIS PRODUCT CONSISTS OF THE CONTAINER LABEL AND AP

THE COMPLETE LABLE. FOR THIS PRODUCT CONSISTS OF THE CONTINUER LABEL AND APPLICATOR'S MANUAL WHICH MUST ACCOMPANY THE PRODUCT READ AND UNDERSTAND THE ENTRE LABELING AND APPLICATOR'S MANUAL ALL PARTS OF THE LABELING AND APPLICATOR'S MANUAL ARE EQUALLY IMPORTANT FOR SAFE AND EFFECTIVE USE OF THE PRODUCT, A FUNIGATION MANAGEMENT Y LAN MUST BE WITTEN FOR ALL PRIMA-TIONS PRIMO TO ACULAL TREATMENT CONSULT WITT VALUE AND STICLE LEAD EXPECTION AEDICY TO DETERMINE REGULATORY STATUS, REQUIREMENTS, AND RESTRICTIONS FOR FUNGATION USE IN THAT STATLE. CALL - 1400-439-03701 IF YOU HAVE ANT OUESTIONS FOR DAVID MAY PART OF THIS LABELING.

Mandatory Statements

Weevilcide:

"22.10.1 Use Restrictions

"This product must not be applied into a Burrow system that is within 100 feet of a Building that is, or may be, occupied by Humans, and/or domestic animals ."

Advisory Statements

"Norway rats, roof rats, and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begin."

ENVIRONMENTAL HAZARDS

" This product is extremely toxic to fish, birds and other wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait.

Signal Words

THE SIGNAL WORD

Is determined by the most severe toxicity category assigned to the five acute toxicity studies.

Toxicity Category I	DANGER
Toxicity Category II	WARNING
Toxicity Category III	CAUTION
Toxicity Category IV	None

*Signal word is assigned considering manufacturers label restrictions which mitigate risk

Endangered Species

ENDANGERED SPECIES CONSIDERATION

Notice: The use of this product may pose a hazard to Federally designated endangered/ threatened species. It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State Agency for current information on habitats occupied by endangered species.



Rodenticide Label Interpretations

CO Machine Required Label by CA Law

"DANGER: Carbon monoxide is a poisonous gas that is odorless and colorless. Exposure to carbon monoxide can kill within minutes. Never use in structures inhabited by humans or livestock.

Gas Cartridge Labels

Mandatory:

"Do not use this product near flammable materials or when either the soil or the vegetation in the area to be treated are in extremely dry conditions."

" USE THIS PRODUCT ONLY IN BURROW SYSTEMS KNOWN TO BE IN ACTIVE USE BY THE TARGET SPECIES."

1st Gen Anticoagulant Labels

Ground Squirrel Bait by Wilco Ag Mandatory:

"For use... in rangeland and pasture land..."

- "Apply this product in secured, tamper-resistant bait stations."
- "Do not apply this product by any method not specified on this label. This product may not be broadcast."

2nd Gen Anticoagulant Rodenticides (SGARs)

California Code of Regulations §6471

"It is prohibited to place any above ground bait more than 50 feet from a man-made structure unless there is a feature associated with the site that is harboring or attracting the pests targeted on the label between the 50-foot limit and the placement limit specified on the label."

More restrictive than labels that allow bait to be up to 100 feet from structures

Zinc Phosphide Label

Mandatory:

Rangeland, pastures, and adjacent noncrop areas,

Prebaiting (MANDATORY)

Product must not be applied on roads, near residential areas, over water or where plants are grown for food or feed.

BAITING: Do not apply more than once per year to the same treatment area.

NOT TO EXCEED 6 LBS. PER ACRE (0.12 LB. AI/A)



Aluminum Phosphide

Label includes APPLICATOR'S MANUAL and FUMIGANT MANAGEMENT PLAN

"Document any burrows that open under or into occupied buildings, and do not apply to these burrows. In addition, check for any other source through which the gas may enter into occupied buildings as a result of application to burrows."

"When this product is used out-of-doors to a site other than an athletic field or park, the applicator shall post a sign at the application site containing the signal word danger/peligro skull and crossbones, the name and EPA registration number of the fumigant, and a 24-hour emergency response number."



Resources: UC

SOME	US Philones > Homes, Senters, Lendourss, and Tef + Ground Soviesi How to Hanager Pests			
HEARCH	Pests in Gardens and Landscapes			
IN THES SITE.	Ground Squirrel			
(bat is 1954)	In the Destroye			
bene & landscape perts				
Aprinitized piets	Identification Planagement Adval.Peak Intel Adval.Peak Intel			
lated enricement perto	Zennan Politieton			
Durite & tomative perio	terad status and logar teradeterm			
Keed pallery				
fared menin piley	Orseed approxis are includent as the intercences and pactores. The California proxed spanet, Sameraphica Reeven, is the work owners packets in pactores. This spainwise hashed includes wark all nations of California access for Dearce values, listed in the autheastern part of the state, and head this the Beart Instance.			
Varber, solido it depos des				
Periode Information		1000		
leveth .	It is easy to identify grand significat, since they large also aproved near their burrows. Their band near their measures 3.9.11 inches, while their semisures 1.9.1 in these of the semisures 1.9.1 in the semistry of the se			
Martine	has a dark, triangular-shaped patch or its back between the shoulders; this patch is missing from other species.	ALC: NOT THE REAL PROPERTY OF		
Deette & training	Attracing private sequences to be sense. In this production and can climb trace, when highland they alwave will release to a burrier, whereas the maximum will plot a free or tail structure and new care of a burrier.			
linke	BLOLOGY AND BUHAVIOR			
Doesary		STREET, STREET		
Uout si	Ground spatrels live in a wide variety of natural habitats but usually avoid Riuk chapanial, dense woods, and wet areas. Pspulations can be particularly high in grazed rangelands as areas disturbed by humans such as read or ditch backs, tercerows, around buildings, and in or bordering many trops.	Ein California proved againet.		
Cuestant as	Orisond spainting here in a burners existent where they shapp, next, near young, stress head, and avoid damper. The burners spanning, are about 4 incluses in diameters had you can used The burners can be 1 be 2) here an once in length and can existed 2 to 4 here blaces the set in article. Other there is more than one spanning in a burner existem. Descut spaints here colorises that can burde an earlier and once in the case of the case of the case is and can be in a burner.			
MANT & GITT	Orioid quality as white direct to day, watch from softening through the denses, people's watch, some day, and public quality days to public the distance of days and the days of the days	The second second second second		
	Ground spalanels based area a year, averaging 7 to 8 par litter. Timing of breeding varies with location. In Southern California Breeding begins in December, in the Central Valley the Streatmen is february through card, and in the mountain cargos breeding bagins assessive litter. Also septimely addition to additional at a reactions at the height of the breeding rear- yong are been in the survey and one register. Where we addit de assessive litter and works ensemble at the breeding rear- yong are been the survey and one register. Where we addit de assessive fitter and ensembles for the barries. Also meet the barries.	on. The Cellsma provid sparse burne spenge.		

Resources: CDFA



	Verlaheads (Peril)
Vertebrate Pest Control Research Advisory Committee	Canad Investment Parent
Intercome to the existing for the sensionals Peor Control Research Assessy Controllers, or SPCRAC for event. This side is the internation subtrafic SPCRAC and provides users with internation regarding the material and material in UPCRAC.	Solution Constitution
What do we do?	INVESTIGATION C
VPCRAC research projects investigate effective and economical elementare materials for the content of versioner justs, the oxider and consider research proposals for elementare turnare methods of comport, and communitie products are elementare product and product registrations until such time as effective elementare products are assisted.	Surcharan Levelation Versionen Front Handson Seit Seine Konen Courty
This research is for the development of scientify data registration to maintain regulatories. VPCAAC cooperates with the UIB Department of Approximation in funding research programs to maintain, develop, and register ventrieste peel culture maintain used in California.	Vertebrate Peat Control Research Advisory Commit
NECRAC Publics, Venamer	
The Categorian Department of Flood and Approximent Integrated Press Costend Baseds is announced a sociative on the Understate Press Costend Research Advance Connections. The Connection makes accommodations of the CDFA sociation of all makers performing to service and performant percention Cost-up The Cost and the Costendary of all makers performing to service and percenting and Cost-up The Cost and the Cost and Costendary Costendary Costendary Costendary Cost-up The Costendary Costendary Costendary Costendary Costendary Costendary Cost-up The Costendary Costendary Costendary Costendary Cost-up The Costendary Costendary Costendary Cost-up The Costendary	Annual Annual Control of State
PRIVATE APPLICATOR MATERIALS	(1) Statements of the same
The following are limits to study materials to assert you in study.	successive provide and
Austrino Produzioa	Bert Section 4 (196)
CD/A vehicles. Peth	100
Pesnuar Later Conservation	Second Second
VICHIE Julity	201
Therease, Treasure, Cover, Million	
better hiderbolk Liber	
Drives marchines of Pesilipic Resultation	

Resources: SBCAC & CDPR





(c) Web size at a gave does ingrintation very abatton chemicals benchfacours http:// BASIN OF REEVALUATION

Questions?